WO 2005/022519 PCT/IB2004/051426




FIG. 1




FIG. 2

WO 2005/022519 PCT/IB2004/051426






FIG.3




FIG.4





FIG.5

WO 2005/022519 PCT/IB2004/051426



p=8	6.888	0.681	-0.165	0.043	7.175	0.515	0.134	0.035	8.000	0.000	0.0m	0.0
D=7	6.242	0.467	0.116	0.030	6.515	0.305	-0.081	0.021	7.304	-0.199	0.062	-0.015
								0.010				
p=5	4.720	0.174	-0.045	0.012	4,941	0.038	-0.010	0.003	5.589	0.389	0.124	-0.029
b=d	3.858	0.080	-0.023	0.006	4.043	-0.027	0.008	-0.002	4.589	0330	0.126	-0.030
<u>p</u>	2.943	0.036	-0.010	0.005	3.087	-0.055	0.016	-0.004	3.512	-0.340	0.110	-0.026
_p=2	1.986	0.00	-0.002	0.001	2.084	-0.054	0.015	-0.004	2.376	-0.250	0.082	-0.019
D=1	1.000	0.000	0.00	0000	1.050	-0.032	6000	-0.005	1.198	0.132	0.043	-0.010
E	0		N	က	0	-	~	673	0	. ⊢	c)	က
ંગ	1		· ·		4.5				∞			

FIG.7

5/6






FIG.8




6/6



in	out
1.050	0.032
2.084	0.054
3.087	0.055
4.043	0.027
4.941	-0.038
5.768	-0.147
6.515	-0.305
7.175	-0.515

FIG.10



in in	out
1.050	1
2.084	2
3.087	3
4.043	4
4.941	5
5.768	6
6.515	7
7.175	8

FIG.11